MR. P. KUNJUKRISHNAN: May I know whether there is any export of tapioca from the State?

MR. K. R. NARAYANA AIYAR: No.

Works in the Alwaye P. W. D. Division.

238 * MR. K. R. NARAYANAN (*Vaikom* cum *Kottayam*). Will the Government be pleased to state the expenditure incurred under each of the following items for the Alwaye P. W. D. Division from the year 1110 to the end of 1115:—

(*a*) New roads;
(*b*) Irrigation;
(*c*) Maintenance; and
(*d*) Incomplete works?

MR. I. C. CHACKO (*Executive Engineer in charge of the duties of the Chief Engineer*): (*a*), (*b*), (*c*) and (*d*) A *statement containing the information required is laid on the table.

MR. K. P. KOCHUKORA THARAKAN (*Kunnatnad* cum *Parur*): ആലുവാ ഡിവിഷനിൽ ഫ ഫ ഫ ൫ാം മാണ്ടത്തേക്ക് ന്യൂ വർക്ക്സ് ഒന്നുമുള്ളതായി കാണുന്നില്ല. അതിനുള്ള കാരണം എന്താണെന്നു പറയാമോ?

MR. I. C. CHACKO: ബഡ്ജറിൽ അതിനു പണം ചേർത്തിരുന്നില്ല.

MR. K. P. KOCHUKORA THARAKAN: മറ്റേതെങ്കിലും ഡിവിഷനിലേക്ക് ന്യൂ വക്ക്സിനു പണം കൊള്ളിച്ചിട്ടുണ്ടോ?

MR. I. C. CHACKO: കൊള്ളിച്ചിരുന്നു.

MR. K. P. KOCHUKORA THARAKAN: ആലുവാ ഡിവിഷൻ മാത്രം ന്യൂ വക്ക്സിനു ബഡ്ജറിൽ പണം ചേർക്കാതെയിരുന്നതിനു പ്രത്യേകാവല്ല കാരണവുമുണ്ടോ?

MR. I. C. CHACKO: പ്രത്യേക കാരണമൊന്നുമില്ല.

MR. K. R. NARAYANAN: ആലുവാ ഡിവിഷനിൽ ഫ ഫ ഫ ൫-ലേക്കു ന്യൂ റോഡ് ആവശ്യമുണ്ടെന്നു ഡിവിഷൻ ആഫീസർ റെക്കമെൻറ ചെയ്തിരുന്നോ?

MR. I. C. CHACKO: ചെയ്തിരുന്നു.

MR. K. R. NARAYANAN: ആ റെക്കമെൻറേഷൻ ഉപേക്ഷിക്കുന്നതിനു എന്തെങ്കിലും കാരണമുണ്ടോ?

MR. I. C. CHACKO: ബഡ്ജറിൽ പണം തികയാതെവന്നു.

MR. K. R. NARAYANAN: ഫൻന ഫ-ഡിസംബർ ൧൯-൦൯- ആലുവാ ടി. ബി. യിൽവച്ച് ചീഫ് എൻജിനീയരെ സന്ദർശിച്ച ഡെപ്യൂട്ടേഷനു് ആലുവാ ഡിവിഷനാണു് ഗതാഗതസൗകര്യത്തിനു വളരെ മോശമായിട്ടുള്ളതെന്നു് അന്നത്തെ ചീഫ് എൻജിനീയർ പറഞ്ഞിട്ടുള്ളതായി മെംബക്കറിയാമോ?

*Vide Appendix I. page 640.

LIBRARY ARCHIVES Kerala Legislative Assembly

MR. I. C. CHACKO : അതിവാല്ല.

MR. KOTTALIL P. ABRAHAM (*Muvattupuzha* cum *Devicolam*) : May I know why the amount of maintenance for works for 1115 is less than the amount for 1114.

MR. I. C. CHACKO : The difference is very little.

MR. PULIYOOR T. P. VELAYUDHAN PILLAI : May I know whether it was due to the better condition of the road ?

MR. I. C. CHACKO : No.

Veterinary hospital nearest to Vaikam.

239. ***MR. K. R. NARAYANAN :** Will the Government be pleased to state the Veterinary hospital nearest to the Vaikam taluk and to state the distance to that hospital from the Vaikam town ?

MR. K. R. NARAYANA AIYAR : The Veterinary Hospital nearest to the Vaikam Taluk is at Kottayam. The distance between Kottayam and the Vaikam town is about 25 miles.

Satroms in Quilon.

240. ***MR. S. NARAYANA PILLAI** (*Quilon* cum *Kottarakara*) : Will the Government be pleased to state :

(*a*) the number of satroms available in Quilon to the travelling public ;

(*b*) the distance from the Railway Station, Quilon, to the satroms ;

(*c*) the reason why the Reserve Police have been transferred from the Satrom at Olay to the Railway Satrom ; and

(*d*) whether Government have received any representation or report from officials or non-officials praying that the Railway Satrom be made available to the public ?

RAJYASEVAPRAVINA KHAN BAHADUR G. S. ABDUL KARIM SAHIB SUHRAWARDY (*Inspector-General of Police*) : (*a*) One.

(*b*) About 2 miles.

(*c*) The Satrom at Olay is unsuited from various points of view for the use of the Reserve Police.

(*d*) No.

MR. S. NARAYANA PILLAI : With regard to part (c), may I know the points of view on which the question was considered ?

RAJYASEVAPRAVINA KHAN BAHADUR G. S. ABDUL KARIM SAHIB SUHRAWARDY : For one thing, there was inconvenience due to want of water and latrine. For another thing, we found the health of the policemen was going down. We were keeping a chart. Apart from the fact that the surroundings are insanitary, there has been an abnormal amount of solicitation for the policemen in that area.

MR. S. NARAYANA PILLAI : May I know whether Olay is not considered to be the best quarter in the town where officials and non-officials gather ?

RAJYASEVAPRAVINA KAHN BAHADUR G. S. ABDUL KARIM SAHIB SUHRAWARDY : That may be, but I am giving you facts. My men have been losing health.

PRESIDENT : The honourable member will address the Chair.

LIBRARY ARCHIVES Kerala Legislative Assembly

Appendix I.

***Vide* Answer to Question No. 238.**

Statement re expenditure incurred under works in the Alwaye P. W. D. Division.

Year.	New roads.	Irrigation.	Maintenance	Incomplete works (roads.)
	Rs.	Rs.	Rs.	Rs.
1110	418	262	1,79,267	4,437
1111	687	7,581	1,79,882	2,227
1112	7,407	8,009	1,82,887	4,261
1113	11,750	3,424	2,01,484	12,150
1114	4,854	1,881	2,02,159	16,838
1115	...	6,760	1,98,607	11,076

Appendix II.

***Vide* Answer to Question No. 243.**

The quantity of jaggery consumed by the Sugar Factory at Thuckalay in the years 1113, 1114, 1115 and in the first three quarters of 1116.

1113	4314 tons.
1114	5200 tons.
1115	5541 tons.

1st 3 quarters of 1116—4037 tons.

LIBRARY ARCHIVES Kerala Legislative Assembly